SDS: A2100-0500\_E001

Date Prepared: 2021/04/28 Date Revised: 2023/01/10

Product Name: NEWCOL NT-5

## 1. Identification of the substance/mixture and of the company/undertaking

Product name: NEWCOL NT-5

Identification of the Nippon Nyukazai Co., Ltd.

supplier:

Address: No.4-1.Nihonbashi Kobuna-cho, Chuo-ku, Tokyo 103-0024, Japan

Charge section: Business Operation Department

(TEL:+81-3-5651-5640,FAX:+81-3-5651-5646)

Emergency telephone Business Operation Department

number: (TEL:+81-3-5651-5640,FAX:+81-3-5651-5646)

Recommend use: Emulsifier/dispersant, solubilizer, Wetting/penetrating agent

Restrictions on use: Seek expert judgment when using for purposes other than those recommended.

#### 2. Hazards identification

Hazard category

Serious eye damage/eye irritation Category 2A
Skin sensitizer Category 1
Acute hazards to the aquatic environment Category 1

#### Label elements

Hazard pictograms:





Signal word: Warning

Hazard statements: H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H400 Very toxic to aquatic life.

Precautionary statements:

Prevention P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash hands and face thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the

workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face

protection.

Response P362+P364 Take off contaminated clothing and wash it before reuse.

P391 Collect spillage.

P302+P352 IF ON SKIN: Wash with plenty of water/or shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

SDS: A2100-0500\_E001

Date Prepared: 2021/04/28
Date Revised: 2023/01/10

Product Name: NEWCOL NT-5

P333+P313 If skin irritation or a rash occurs: Get medical

advice/attention.

P337+P313 If eye irritation persists: Get medical advice/attention.

Disposal P501 Dispose of contents/container in accordance with

local/regional/national/international regulation.

# 3. Composition/information on ingredients

#### 3.1. Substances

Ingredients and Concentration

Ingredient Name	Concentr ation wt.%	CAS RN®		Industrial Safety and Health Law Substances (JAPAN)	Industrial Safety and Health Law (JAPAN)	Pollutant Release Transfer Register Law (JAPAN)	Poisonous and Deleterious Substances Control Act (JAPAN)
			Gazette notice reference number	Gazette notice reference number	Notifiable Substances	Specified Substances	Poisonous and Deleterious Substances
Polyoxyethylene alkyl ether	99-100	84133-50-6	7-97		Not applicable		Not applicable

**3.2. Mixtures** Not Applicable

#### 4. First aid measures

Inhalation: Remove victim to fresh air and keep at rest in a position comfortable

for breathing.

If breathing is stopped, lie on your back and perform cardiopulmonary

respiration.

Get medical advice/attention.

Skin contact: Take off contaminated clothing and wash before reuse.

Wash with plenty of soap and water.

If skin irritation or a rash occurs: Get medical advice/attention.

Eye contact: Immediately flush eye with plenty of clean water for at least 15

minutes. (If easy to do, remove contact lenses, if worn.) Get medical

attention immediately.

Ingestion: After having swallowed it, Drink a large quantity of water when

consciousness becomes clear and receive treatment for the doctor

immediately.

A mouth must not give a person without the consciousness a thing.

Protection for first aid person: The rescuer wears a tool for appropriate protection depending on the

situation.

SDS: A2100-0500\_E001
Date Prepared: 2021/04/28

Date Revised: 2023/01/10

Product Name: NEWCOL NT-5

## 5. Firefighting measures

Suitable extinguishing media: Use water spray(fog), foam, dry chemical or CO2.

Extinguishing media to avoid: Straight stream water.

Specific hazards arising from the

chemical: Fire fighting: At the time of fire, hazardous gases (carbon monoxide and others) can

be generated.

Keep upwind of fire.

Eliminate all ignition sources if safe to do so.

In case of fire in the surroundings, move the content/container to the safety place. If it is not possible to move, cool the content/container

with water spray.

Special protective equipment and

precautions for fire fighters:

Gloves, protection glasses, wear fire, flame resistant, retardant clothing,

air respiratory organs wear a tool for appropriate protection.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Promptly remove possible ignition sources from the vicinity.

Environmental precautions: Methods and materials for containment and cleaning up: Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. To environment (area of the sea, the soil) must not release it.

Absorb this product with inactive materials (example: dry sand, earth)

and recover it into a waste material container.

In the case of large amount, stop leakage with earth/sand to begin

with, and, then, recover it.

In the case of a small quantity, I adsorb it in the earth and sand, a waste and collect it in empty container which I can seal up after

having removed it.

## 7. Handling and storage

Handling

Technical measures: During handling, be sure to wear proper protective equipment (refer to

the section 8).

This product can be charged with static electricity. Take

countermeasures for static electricity removal (grounding, others). Wear antistatic clothes and antistatic shoes to prevent human body

electrification.

Use explosion-proof electrical/ventilating/lighting equipment.

Ventilation requirements: Use the ventilation equipment described in Section 8.

Precautions for safe No

handling:

Not especially.

SDS: A2100-0500\_E001

Date Prepared: 2021/04/28 Date Revised: 2023/01/10

Product Name: **NEWCOL NT-5** 

Storage

Store the containers avoiding direct sunlight. Store in less than 40°C in Storage conditions:

a well-ventilated room.

Safety adequate

container materials: Use the container specified by the Fire Service ACT and the United

Nations Transport Regulations.

## 8. Exposure controls/personal protection

Appropriate engineering controls: Use local ventilation equipment.

Install eye and body washing facilities near the handling place.

Display the position of equipment clearly.

Control parameters

Ingredient Name	Industrial Safety and Health Law (JAPAN)	Japan Society for Occupation al Health	ACGIH-TLV	
		Occupation al Exposure Limits		STEL
1 oryoxyconyiche ankyr concr		Not established		Not established

Personal protective equipment

Respiratory protection: Use a gas mask for organic gases, air-supplied respirator, self -

contained compressed air breathing apparatus on the situation.

Organic solvent impermeable protective gloves (Antistatic ones are Hand protection:

desirable.)

Eye/face protection: Protective glasses, goggle, protective face shield.

Skin/body protection: Wear long-sleeved working clothes and protective shoes. (Antistatic

ones are desirable.)

Use an oiliness apron-resistant, boots depending on the situation.

Hygiene measures: Wash with soap and water after handling.

SDS: A2100-0500\_E001

Date Prepared: 2021/04/28 Date Revised: 2023/01/10

Product Name: **NEWCOL NT-5** 

## 9. Physical and chemical properties

Product

Liquid (25°C) Form: Color: Light yellow Odor: Mild peculiar odor Pour Point-24(℃) Melting point/freezing

point:

 $\geq 250(^{\circ}\text{C})$ Initial boiling point and

boiling range:

Flammability (solid, gas): No data Upper/lower flammability No data

or explosive limits:

Flash point: 208(℃) (Cleveland Open Cup)

Auto-ignition No data

temperature:

No data Decomposition

temperature:

:Hq 6-7 (5% aq.)33(mPa⋅s)(25°C) Viscosity:

Kinematic viscosity: No data

Solubility: water: Slightly soluble.

> alcohols: Soluble. acetone: Soluble.

Partition coefficient: n-

octanol/water:

No data

 $\leq 133 (Pa) (20^{\circ}C)$ Vapour pressure: Specific Gravity:  $0.969(20^{\circ}\text{C})$ No data Vapour density: Particle characteristics: No data

## 10. Stability and reactivity

Chemical stability: Stable under normal temperatures and pressures.

Possibility of hazardous

reactions:

It may react with the oxidizing agent and generate heat.

Conditions to avoid: Avoid heat, flames, sparks and ignition sources.

Incompatible materials: Acid, Oxidizing agents. Hazardous decomposition

No data available

products:

SDS: A2100-0500\_E001

Date Prepared: 2021/04/28 Date Revised: 2023/01/10

Product Name: NEWCOL NT-5

## 11. Toxicological information

Product

Acute toxicity (oral): No Classification
Acute toxicity (dermal): No Classification

Acute toxicity (inhalation): Exempt classification (Gas)

Classification not possible (Vapour) Classification not possible (Dust/Mist)

Skin corrosion/irritation:

No Classification
Serious eye damage/irritation:

Category 2A

Respiratory sensitization: Classification not possible

Skin sensitization: Category 1

Mutagenicity: Classification not possible Carcinogenicity: Classification not possible

Reproductive toxicity: No Classification

Target organ effect/Single exposure: Classification not possible Target organ effect/Multi exposure: Classification not possible Respiratory toxic: Classification not possible

Ingredient

Polyoxyethylene alkyl ether

Acute toxicity (oral): No Classification

LD50: 5100 mg/kg[rat]

Acute toxicity (dermal): No Classification

LD50:> 2000 mg/kg[rat]

Acute toxicity (inhalation): Exempt classification (Gas)

Classification not possible (Vapour)

No data

Classification not possible (Dust/Mist)

Skin corrosion/irritation: No Classification

None [rabbit]

Effect on person: 0.6% solution, patch test (closed), non-irritating, Effect on animals: Rabbit, unstimulated by the criteria of Commission Directive 93/21 / EEC of April 1993

Serious eye damage/irritation: Category 2A

Moderate [rabbit]

Effect on animals: Corneal opacity 1.0 and conjunctival redness 2.0 in 2 of 3 test animals, but recover in 14 days.

Respiratory sensitization: Classification not possible

Effect on person: No data

Skin sensitization: Category 1

Positive LLNA [mouse]

Mutagenicity: Classification not possible

Ames Test:Negative

SDS: A2100-0500\_E001

Date Prepared: 2021/04/28 Date Revised: 2023/01/10

Product Name: NEWCOL NT-5

Carcinogenicity: Classification not possible

IARC:Unlisted, NTP:Unlisted, EU:Unlisted,

Japan Society for Occupational Health: Unlisted,

OSHA: Unlisted

Reproductive toxicity: No Classification

No teratogenicity was observed after administration of the

NOAEL 1600 ppm [rat] for two generations of oral

administration.

Target organ effect/Single exposure: Classification not possible

No data

Target organ effect/Multi exposure: Classification not possible

No data

Respiratory toxic: Classification not possible

Effect on person: No data

## 12. Ecological information

Product

Ecotoxicity

Acute toxicity: Category 1

Chronic toxicity: Classification not possible

Persistence and degradability: No information.
Bioaccumulative potential: No information.
Mobility in soil: No information.

Hazardous to the ozone layer: Classification not possible

Other impact: No information.

Ingredient

Polyoxyethylene alkyl ether

Ecotoxicity

Acute toxicity: Category 1

Fish: 48hr,LC50: 3.3 mg/L[Oryzias latipes], 48hr,LC50: 8.8

mg/L[Oryzias latipes]

Daphnia: Americamysis bahiaLC50: 1.0 mg/L[Americamysis bahia],

96hr,LC50: 0.73 mg/L[Americamysis bahia], 48hr,LC50: 1.3

[Chaetogammarus marinus(Gammarus limnaeus)], 96hr,LC50: 0.62 [Chaetogammarus marinus(Gammarus

limnaeus)]

Algae: No data

Chronic toxicity: Classification not possible Persistence and degradability: Readily biodegradable

Bioaccumulative potential: No data

Hazardous to the ozone layer: Classification not possible

SDS: A2100-0500\_E001

Date Prepared: 2021/04/28 Date Revised: 2023/01/10

Product Name: **NEWCOL NT-5** 

## 13. Disposal considerations

Disposal methods: When waste materials and waste water are to be treated, collect them into specified containers and entrust the disposal to a disposal contractor having an industrial waste disposal contractor

Do not use the used containers for other purposes like filling other substances. Be sure to dispose of them after treating the content according to the above description. In case of recycling the container, return the container as it is after fitting a stopper without filling anything into it.

## 14. Transport information

Internation UN 9

classification:

regulations UN number: 3082

Proper shipping ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S

name:

IIIPacking

group:

Domestic restriction: Transport the material in accordance with the regulations in your country or

region.

Specific security precaution

and condition of

Load the containers in such a way as not to wet with water, fall down, tumble, or

being damaged. Cover the loaded cargo to prevent direct sunlight.

transportation:

Emergency Response Guide 171

(ERG) Numbers:

### 15. Regulatory information

Regulatory information with regard to this substance in your country or region should be examined by your own responsibility.



SDS: A2100-0500\_E001

Date Prepared: 2021/04/28 Date Revised: 2023/01/10

Product Name: NEWCOL NT-5

### 16. Other information

Reference Information obtained in NITE (National Institute of Technology and Evaluation)

and other literature surveys.

Disclaimer About the description: This SDS was created in accordance with JIS Z 7253 based

on the materials and data available at the time of creation.

Detailed information such as composition and ingredients corresponding to overseas legal regulation registration confirmation etc. may not be described, so

please contact our sales staff separately if necessary.

Precautions are for normal handling. In case of special handling, it is the responsibility of the user to take safety measures suitable for the intended use

and usage.

We have paid close attention to the contents, but we do not guarantee the

contents.

This product can only be used for industrial purposes. If you want to use it for

other purposes, please contact us in advance.