

SDS: A2271-0600_E001

Date Prepared: 2016/12/13 Date Revised: 2023/01/10

Product Name: NEWCOL 714-SN

1. Identification of the substance/mixture and of the company/undertaking

Product name: NEWCOL 714-SN

Identification of the Nippon Nyukazai Co., Ltd.

supplier:

Address: No.4-1.Nihonbashi Kobuna-cho, Chuo-ku, Tokyo 103-0024, Japan

Charge section: Business Operation Department

(TEL:+81-3-5651-5640,FAX:+81-3-5651-5646)

Emergency telephone Business Operation Department

number: (TEL:+81-3-5651-5640,FAX:+81-3-5651-5646)

Recommend use: Detergent, Emulsifier/dispersant, Emulsion polymerization agent

Restrictions on use: Seek expert judgment when using for purposes other than those recommended.

2. Hazards identification

Hazard category

Toxic to reproduction Category 1B

Label elements

Hazard pictograms:



Signal word: Danger

Hazard statements: H360 May damage fertility or the unborn child.

Precautionary statements:

Prevention P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and

understood.

P280 Wear protective gloves/protective clothing/eye protection/face

protection.

Response P308+P313 IF exposed or concerned: Get medical advice/attention.

Storage P405 Store locked up.

Disposal P501 Dispose of contents/container in accordance with

local/regional/national/international regulation.

3. Composition/information on ingredients

3.1. Substances Not Applicable

SDS: A2271-0600_E001

Date Prepared: 2016/12/13 Date Revised: 2023/01/10

Product Name: NEWCOL 714-SN

3.2. Mixtures

Ingredients and Concentration

mgreatents and concentration							
Ingredient Name	Concentr ation wt.%	CAS RN®	Existing and New Chemical Substances (JAPAN)	Industrial Safety and Health Law Substances (JAPAN)	Industrial Safety and Health Law (JAPAN)	Pollutant Release Transfer Register Law (JAPAN)	Poisonous and Deleterious Substances Control Act (JAPAN)
			Gazette notice reference number	Gazette notice reference number	Notifiable Substances	Specified Substances	Poisonous and Deleterious Substances
Polyoxyethylene poly styrenated-methyl-phenyl ether, sulfate sodium salts	30	201363-54-4	%reference	Public	Not applicable	Not applicable	Not applicable
Water	70	7732-18-5		Public	Not applicable	Not applicable	Not applicable
(Methanol)	(0-0.9)	67-56-1	2-201	Public	Applicable	Not applicable	Less than regulation

[※] Not regarded as a New Chemical Substances.

4. First aid measures

Eye contact:

Inhalation: Remove victim to fresh air and keep at rest in a position comfortable

for breathing.

If breathing is stopped, lie on your back and perform cardiopulmonary

respiration.

Get medical advice/attention.

Skin contact: Take off contaminated clothing and wash before reuse.

Wash with plenty of soap and water.

If skin irritation or a rash occurs: Get medical advice/attention.

Immediately flush eye with plenty of clean water for at least 15

minutes. (If easy to do, remove contact lenses, if worn.) Get medical

attention immediately.

Ingestion: After having swallowed it, Drink a large quantity of water when

consciousness becomes clear and receive treatment for the doctor

immediately.

A mouth must not give a person without the consciousness a thing.

Protection for first aid person: The rescuer wears a tool for appropriate protection depending on the

situation.

SDS: A2271-0600_E001

Date Prepared: 2016/12/13 Date Revised: 2023/01/10

Product Name: **NEWCOL 714-SN**

5. Firefighting measures

Suitable extinguishing media: Use water spray(fog), foam, dry chemical or CO2.

Extinguishing media to avoid: Straight stream water.

Specific hazards arising from the At the time of fire, hazardous gases (carbon monoxide and others) can

chemical:

Fire fighting:

be generated. Keep upwind of fire.

Eliminate all ignition sources if safe to do so.

In case of fire in the surroundings, move the content/container to the safety place. If it is not possible to move, cool the content/container

with water spray.

Special protective equipment and

precautions for fire fighters:

Gloves, protection glasses, wear fire, flame resistant, retardant clothing,

air respiratory organs wear a tool for appropriate protection.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: Promptly remove possible ignition sources from the vicinity.

Environmental precautions: Methods and materials for containment and cleaning up: Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.

To environment (area of the sea, the soil) must not release it.

Absorb this product with inactive materials (example: dry sand, earth)

and recover it into a waste material container.

In the case of large amount, stop leakage with earth/sand to begin

with, and, then, recover it.

In the case of a small quantity, I adsorb it in the earth and sand, a waste and collect it in empty container which I can seal up after

having removed it.

7. Handling and storage

Handling

Technical measures: During handling, be sure to wear proper protective equipment (refer to

the section 8).

Ventilation requirements: Use the ventilation equipment described in Section 8.

Precautions for safe

Not especially.

handling:

Storage

Storage conditions: Store the containers avoiding direct sunlight. Store in less than 40°C in

a well-ventilated room.

Safety adequate container Use the container specified by the Fire Service ACT and the United

materials:

Nations Transport Regulations.

SDS: A2271-0600_E001

Date Prepared: 2016/12/13
Date Revised: 2023/01/10

Product Name: NEWCOL 714-SN

8. Exposure controls/personal protection

Appropriate engineering controls: Use local ventilation equipment.

Install eye and body washing facilities near the handling place.

Display the position of equipment clearly.

Control parameters

Ingredient Name	Industrial Safety and Health Law (JAPAN)	Japan Society for Occupation al Health	ACGIH-TLV	
		Occupation al Exposure Limits		STEL
Polyoxyethylene poly styrenated-methyl-phenyl ether, sulfate sodium salts	Not established	Not established		Not established
Methanol	200ppm -mg/m3	200ppm Skin, 260mg/m3 Skin		250ppm Skin, -mg/m3

Personal protective equipment

Respiratory protection: Use a gas mask for organic gases, air-supplied respirator, self-

contained compressed air breathing apparatus on the situation.

Hand protection: Organic solvent impermeable protective gloves (Antistatic ones are

desirable.)

Eye/face protection: Protective glasses, goggle, protective face shield.

Skin/body protection: Wear long-sleeved working clothes and protective shoes.(Antistatic

ones are desirable.)

Use an oiliness apron-resistant, boots depending on the situation.

Hygiene measures: Wash with soap and water after handling.

9. Physical and chemical properties

Product

 $\begin{array}{lll} \mbox{Form:} & \mbox{Liquid } (20\mbox{°C}) \\ \mbox{Color:} & \mbox{Light yellow} \\ \mbox{Odor:} & \mbox{No data} \\ \mbox{Melting point/freezing} & \mbox{No data} \\ \end{array}$

point:

Initial boiling point and

boiling range:

No data

Flammability (solid, gas): No data

SDS: A2271-0600_E001

Date Prepared: 2016/12/13 Date Revised: 2023/01/10

Product Name: NEWCOL 714-SN

Upper/lower flammability No data

or explosive limits:

Flash point: No detection Auto-ignition No data

temperature:

Decomposition No data

temperature:

pH: 8.0(1%aq.) Kinematic viscosity: No data

Solubility: water : Soluble.

Partition coefficient: n-

octanol/water:

No data

Vapour pressure: No data
Specific Gravity: 1.060(20°C)
Vapour density: No data
Particle characteristics: No data

10. Stability and reactivity

Chemical stability: Stable under normal temperatures and pressures.

Possibility of hazardous

reactions:

No data available

Conditions to avoid: No data available Incompatible materials: No data available Hazardous decomposition No data available

products:

11. Toxicological information

Carcinogenicity:

Product

Acute toxicity (oral):

Acute toxicity (dermal):

Classification not possible

Classification not possible

Classification not possible (Gas)

Classification not possible (Vapour) Classification not possible (Dust/Mist)

Classification not possible

Skin corrosion/irritation:

Serious eye damage/irritation:

Respiratory sensitization:

Skin sensitization:

Classification not possible

Reproductive toxicity: Category 1B

Target organ effect/Single exposure: Classification not possible

SDS: A2271-0600_E001

Date Prepared: 2016/12/13 Date Revised: 2023/01/10

Product Name: NEWCOL 714-SN

Target organ effect/Multi exposure: Classification not possible Respiratory toxic: Classification not possible

Ingredient

Polyoxyethylene poly styrenated-methyl-phenyl ether, sulfate sodium salts

No Data

Methanol

Acute toxicity (oral): Category 4

LD50: 1400 mg/kg[human], LD50: 6200-9100 mg/kg[rat]

Acute toxicity (dermal): No Classification

LD50: 15800 mg/kg[rabbit]

Acute toxicity (inhalation): Exempt classification (Gas)

No Classification (Vapour) LC50:> 31500 ppm[rat]

Classification not possible (Dust/Mist)

Skin corrosion/irritation: Classification not possible

Effect on animals: Although there is an unpublished report that when applied to the skin of rabbits under occlusive conditions for up to 20-hour the substance was not irritating (DFGOT vol. 16 (2001)), classification was not possible due

to lack of data in a skin irritation test.

Serious eye damage/irritation: Category 2

Effect on animals: In a rabbit Draize test, mean scores of conjunctivitis were judged to be 2 and higher (2.1) at 24, 48 and 72-hour after installation. Chemosis (score of 2.00) observed up to 4-hour had decreased significantly by 72-hour (score of 0.50) (EHC 196 (1997)). Since it is not clear whether the effects reversed within 7 days, sub-categorization was not performed. Based on the data, the substance was

classified into Category 2.

Respiratory sensitization: Classification not possible

Effect on person: No data available.

Skin sensitization: No Classification

Effect on person: not entered, Effect on animals: Based on a result of "not sensitizing" in a guinea pig skin sensitizing test (Magnusson-Kligman maximization test) (EHC 196 (1997)), the substance was classified as "Not classified".

Mutagenicity: No Classification

Based on negative results in mouse erythrocyte

micronucleus tests (in vivo somatic cell mutagenicity tests)

by inhalation exposure (EHC 196 (1997)) and by intraperitoneal administration (DFGOT vol. 16 (2001), PATTY (5th, 2001)), the substance was classified as "Not

classified".

SDS: A2271-0600_E001

Date Prepared: 2016/12/13 Date Revised: 2023/01/10

Product Name: **NEWCOL 714-SN**

Carcinogenicity:

Classification not possible

In unpublished tests conducted by The New Energy Development Organization (NEDO) in Japan, no evidence of carcinogenicity was found in rats, mice or monkeys (EHC 196 (1997)). There is a report that there was a significant dose-response relationship for male and female rats for carcinomas of the head and neck and for females only hemolymphoreticular neoplasms when the substance was administered to rats in drinking water from 8-weeks until spontaneous death occurred (ACGIH (2009)). Determining tumors after spontaneous death is not comparable to the standard procedure, therefore, the evaluation or comparison is considered to be difficult. Based on the above information, classification was not possible.

Reproductive toxicity:

Category 1B

In a developmental toxicity test by inhalation exposure to mice during organogenesis period, fetal resorptions and exencephaly were observed (PATTY (5th, 2001)). Additionally, similar effects including cleft palate were reported in other inhalation and oral exposure tests (EHC 196 (1997), DFGOT vol. 16 (2001)). For effects of methanol on reproduction, scientific decisions concerning health risks are generally based on what is known as "weight-ofevidence" approach. Recognizing the lack of human data and the clear evidence of laboratory animal effects, it was concluded that methanol may adversely affect human development if exposures are sufficiently high (NTP-CERHR Monograph (2003)). Based on the information, the substance was considered to be a presumed human reproductive toxicant and was classified into Category 1B.

SDS: A2271-0600_E001 Date Prepared: 2016/12/13

Date Revised: 2023/01/10

Product Name: **NEWCOL 714-SN**

Target organ effect/Single exposure: Category 1(central nerve system,organ of vision,general

systemic toxicant)

Category 3(anesthetic action)

The symptoms of acute poisoning from the substance include CNS-depression. Formate accumulates in the blood during a latency period which leads to metabolic acidosis, visual impairment or even total blindness, headaches, dizziness, nausea, vomiting, Kussmaul breathing and coma. In some cases death is the final outcome (DFGOT vol. 16 (2001), EHC 196 (1997)). Further, CNS disorders, especially parkinsonism-like extrapyramidal symptoms were reported (DFGOT vol. 16 (2001)). Morphological changes, necrosis in the white substance of the brain were demonstrated (DFGOT vol. 16 (2001)). Based on the human information, the substance was classified into Category 1 (central nervous system). Additionally, the eye was regarded as a target organ since visual impairment is a characteristic effect. Additionally, systemic toxicity is regarded as a target organ based on the reports of headache, nausea, vomiting, tachypnea and coma as signs of metabolic acidosis. The effects of single exposures by inhalation include narcosis (EHC 196 (1997), PATTY (5th, 2001)). As an acute toxicity in humans, a narcotic effect results from central nervous system depression (PATTY (5th, 2001)). Based on the data, the substance was classified into Category 3 (narcotic effects).

Target organ effect/Multi exposure:

Category 1(central nerve system, organ of vision) Based on a report that the most noted health consequence of longer-term exposure to lower levels of methanol is a broad range of ocular effects (EHC 196 (1997)), and that cases of chronic poisoning from occupational exposure to methanol were manifested by bilateral blindness (ACGIH (7th, 2001)), the substance was classified into Category 1 (eye). Additionally, based on the report that cases of chronic poisoning from repeated exposure to methanol vapour are manifested by headache, giddiness, insomnia, and gastric disturbances (ACGIH (7th, 2001)), the substance was classified into Category 1 (central nervous system). There are reports that changes in liver weight and hepatocellular hypertrophy were observed in rat oral administration tests (PATTY (5th, 2001), IRIS (2005)), however, these findings are considered to be adaptive changes and were not used as the basis of classification.

Respiratory toxic:

Classification not possible

Effect on person: No data available



SDS: A2271-0600_E001

Date Prepared: 2016/12/13 Date Revised: 2023/01/10

Product Name: NEWCOL 714-SN

12. Ecological information

Product

Ecotoxicity

Acute toxicity: Classification not possible Chronic toxicity: Classification not possible

Persistence and degradability: No information.
Bioaccumulative potential: No information.
Mobility in soil: No information.

Hazardous to the ozone layer: Classification not possible

Other impact: No information.

Ingredient

Polyoxyethylene poly styrenated-methyl-phenyl ether, sulfate sodium salts

Ecotoxicity

Acute toxicity: No data Chronic toxicity: No data

Methanol

Ecotoxicity

Acute toxicity: No Classification

Fish: 96hrLC50: 15400 mg/L[Lepomis macrochirus]
Daphnia: 96hrLC50: 1340 mg/L[Penaeus aztecus]

Algae: No data

Chronic toxicity: No Classification

Fish: No data
Daphnia: No data
Algae: No data

Persistence and degradability: Readily biodegradable

Bioaccumulative potential: No data

Hazardous to the ozone layer: Classification not possible

13. Disposal considerations

Disposal When waste materials and waste water are to be treated, collect them into specified containers methods: and entrust the disposal to a disposal contractor having an industrial waste disposal contractor

permit.

Do not use the used containers for other purposes like filling other substances. Be sure to dispose of them after treating the content according to the above description. In case of recycling the container, return the container as it is after fitting a stopper without filling anything into it.



SDS: A2271-0600_E001

Date Prepared: 2016/12/13 Date Revised: 2023/01/10

Product Name: **NEWCOL 714-SN**

14. Transport information

Internation UN Not applicable

classification:

regulations UN number: Not applicable

Proper shipping Not applicable

name:

Not applicable Packing

group:

Domestic restriction: Transport the material in accordance with the regulations in your country or

Specific security precaution

and condition of

Load the containers in such a way as not to wet with water, fall down, tumble, or

being damaged. Cover the loaded cargo to prevent direct sunlight.

transportation:

Emergency Response Guide 171

(ERG) Numbers:

15. Regulatory information

Regulatory information with regard to this substance in your country or region should be examined by your own responsibility.

16. Other information

Reference Information obtained in NITE (National Institute of Technology and Evaluation)

and other literature surveys.

Disclaimer About the description: This SDS was created in accordance with JIS Z 7253 based

on the materials and data available at the time of creation.

Detailed information such as composition and ingredients corresponding to overseas legal regulation registration confirmation etc. may not be described, so

please contact our sales staff separately if necessary.

Precautions are for normal handling. In case of special handling, it is the responsibility of the user to take safety measures suitable for the intended use

and usage.

We have paid close attention to the contents, but we do not guarantee the

This product can only be used for industrial purposes. If you want to use it for

other purposes, please contact us in advance.