

SAFETY DATA SHEET

SDS: A5421-0400_E003

Date Prepared: 2020/03/23

Date Revised: 2023/01/10

Product Name: **MA-50**

1. Identification of the substance/mixture and of the company/undertaking

Product name: MA-50
 Identification of the supplier: Nippon Nyukazai Co., Ltd.
 Address: No.4-1.Nihonbashi Kobuna-cho, Chuo-ku, Tokyo 103-0024, Japan
 Charge section: Business Operation Department
 (TEL:+81-3-5651-5640,FAX:+81-3-5651-5646)
 Emergency telephone number: Business Operation Department
 (TEL:+81-3-5651-5640,FAX:+81-3-5651-5646)
 Recommend use: intermediate raw materials
 Restrictions on use: Seek expert judgment when using for purposes other than those recommended.

2. Hazards identification

Hazard category
 Carcinogenicity Category 1B

Label elements

Hazard pictograms:



Signal word: **Danger**
 Hazard statements: **H350 May cause cancer.**
 Precautionary statements:

Prevention P201 Obtain special instructions before use.
 P202 Do not handle until all safety precautions have been read and understood.
 P280 Wear protective gloves/protective clothing/eye protection/face protection.
 Response P308+P313 IF exposed or concerned: Get medical advice/attention.
 Storage P405 Store locked up.
 Disposal P501 Dispose of contents/container in accordance with local/regional/national/international regulation.

SAFETY DATA SHEET

SDS: A5421-0400_E003

Date Prepared: 2020/03/23

Date Revised: 2023/01/10

Product Name: **MA-50**

3. Composition/information on ingredients

3.1. Substances

Ingredients and Concentration

Ingredient Name	Concentration wt. %	CAS RN®	Existing and New Chemical Substances (JAPAN)	Industrial Safety and Health Law Substances (JAPAN)	Industrial Safety and Health Law (JAPAN)	Pollutant Release Transfer Register Law (JAPAN)	Poisonous and Deleterious Substances Control Act (JAPAN)
			Gazette notice reference number	Gazette notice reference number	Notifiable Substances	Specified Substances	Poisonous and Deleterious Substances
Polyethyleneglycol monomethacrylate	99-100	25736-86-1	2-1045, 7- 775	Public	Not applicable	Not applicable	Not applicable
1,4-Dioxane	0-0.2	123-91-1	5-839	Public	Applicable	Less than regulation	Not applicable

3.2. Mixtures

Not Applicable

4. First aid measures

Inhalation:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If breathing is stopped, lie on your back and perform cardiopulmonary respiration. Get medical advice/attention.
Skin contact:	Take off contaminated clothing and wash before reuse. Wash with plenty of soap and water. If skin irritation or a rash occurs: Get medical advice/attention.
Eye contact:	Immediately flush eye with plenty of clean water for at least 15 minutes. (If easy to do, remove contact lenses, if worn.) Get medical attention immediately.
Ingestion:	After having swallowed it, Drink a large quantity of water when consciousness becomes clear and receive treatment for the doctor immediately. A mouth must not give a person without the consciousness a thing.
Protection for first aid person:	The rescuer wears a tool for appropriate protection depending on the situation.

SAFETY DATA SHEET

SDS: A5421-0400_E003

Date Prepared: 2020/03/23

Date Revised: 2023/01/10

Product Name: **MA-50**

5. Firefighting measures

Suitable extinguishing media:	Use water spray(fog), foam, dry chemical or CO2.
Extinguishing media to avoid:	Straight stream water.
Specific hazards arising from the chemical:	At the time of fire, hazardous gases (carbon monoxide and others) can be generated.
Fire fighting:	Keep upwind of fire. Eliminate all ignition sources if safe to do so. In case of fire in the surroundings, move the content/container to the safety place. If it is not possible to move, cool the content/container with water spray.
Special protective equipment and precautions for fire fighters:	Gloves, protection glasses, wear fire,flame resistant,retardant clothing, air respiratory organs wear a tool for appropriate protection.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures:	Promptly remove possible ignition sources from the vicinity. Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.
Environmental precautions:	To environment (area of the sea, the soil) must not release it.
Methods and materials for containment and cleaning up:	Absorb this product with inactive materials (example: dry sand, earth) and recover it into a waste material container. In the case of large amount, stop leakage with earth/sand to begin with, and, then, recover it. In the case of a small quantity, I adsorb it in the earth and sand, a waste and collect it in empty container which I can seal up after having removed it.

7. Handling and storage

Handling	
Technical measures:	During handling, be sure to wear proper protective equipment (refer to the section 8). This product can be charged with static electricity. Take countermeasures for static electricity removal (grounding, others). Wear antistatic clothes and antistatic shoes to prevent human body electrification. Use explosion-proof electrical/ventilating/lighting equipment.
Ventilation requirements:	Use the ventilation equipment described in Section 8.
Precautions for safe handling:	Not especially.

SAFETY DATA SHEET

SDS: A5421-0400_E003

Date Prepared: 2020/03/23

Date Revised: 2023/01/10

 Product Name: **MA-50**

Storage

Storage conditions: Store the containers avoiding direct sunlight. Store in less than 40°C in a well-ventilated room.

Safety adequate container materials: Use the container specified by the Fire Service ACT and the United Nations Transport Regulations.

8. Exposure controls/personal protection

 Appropriate engineering controls: Use local ventilation equipment.
 Install eye and body washing facilities near the handling place.
 Display the position of equipment clearly.

Control parameters

Ingredient Name	Industrial Safety and Health Law (JAPAN)	Japan Society for Occupational Health	ACGIH-TLV	
	Administrative Control Levels	Occupational Exposure Limits	TWA	STEL
Polyethyleneglycol monomethacrylate	Not established	Not established	Not established	Not established
1,4-Dioxane	10ppm -mg/m ³	1ppm Skin, 3.6mg/m ³ Skin	20ppm Skin, -mg/m ³	Not established

Personal protective equipment

Respiratory protection: Use a gas mask for organic gases, air-supplied respirator, self-contained compressed air breathing apparatus on the situation.

Hand protection: Organic solvent impermeable protective gloves (Antistatic ones are desirable.)

Eye/face protection: Protective glasses, goggle, protective face shield.

Skin/body protection: Wear long-sleeved working clothes and protective shoes.(Antistatic ones are desirable.)

Use an oiliness apron-resistant, boots depending on the situation.

Hygiene measures: Wash with soap and water after handling.

SAFETY DATA SHEET

SDS: A5421-0400_E003

Date Prepared: 2020/03/23

Date Revised: 2023/01/10

 Product Name: **MA-50**

9. Physical and chemical properties

Product

Form:	Liquid (20°C)
Color:	Colorless~Light yellow
Odor:	Peculiar odor
Melting point/freezing point:	No data
Initial boiling point and boiling range:	No data
Flammability (solid, gas):	No data
Upper/lower flammability or explosive limits:	No data
Flash point:	155(°C)
Auto-ignition temperature:	No data
Decomposition temperature:	No data
pH:	No data
Viscosity:	375(mPa·s)(20°C)
Kinematic viscosity:	No data
Solubility:	water : Soluble. alcohols : Soluble. petroleum solvent : Insoluble.
Partition coefficient: n-octanol/water:	No data
Vapour pressure:	No data
Specific Gravity:	1.106(20°C)
Vapour density:	No data
Particle characteristics:	No data

10. Stability and reactivity

Chemical stability:	Stable under normal temperatures and pressures.(Polymerization inhibitor is added)
Possibility of hazardous reactions:	Heating, direct sunlight, peroxides, and iron rust can cause polymerization. It may react with the oxidizing agent and generate heat.
Conditions to avoid:	Avoid heat, flames, sparks and ignition sources. Direct sunlight, high temperature.
Incompatible materials:	Acid, Oxidizing agents.
Hazardous decomposition products:	No data available

SAFETY DATA SHEET

SDS: A5421-0400_E003

Date Prepared: 2020/03/23

Date Revised: 2023/01/10

Product Name: **MA-50**

11. Toxicological information

Product

Acute toxicity (oral):	Classification not possible
Acute toxicity (dermal):	Classification not possible
Acute toxicity (inhalation):	Classification not possible (Gas)
	Classification not possible (Vapour)
	Classification not possible (Dust/Mist)
Skin corrosion/irritation:	Classification not possible
Serious eye damage/irritation:	Classification not possible
Respiratory sensitization:	Classification not possible
Skin sensitization:	Classification not possible
Mutagenicity:	Classification not possible
Carcinogenicity:	Category 1B
Reproductive toxicity:	Classification not possible
Target organ effect/Single exposure:	Classification not possible
Target organ effect/Multi exposure:	Classification not possible
Respiratory toxic:	Classification not possible

Ingredient

Polyethyleneglycol monomethacrylate

No Data

1,4-Dioxane

Acute toxicity (oral):	No Classification LD50: 4200-7339 mg/kg[rat]
Acute toxicity (dermal):	No Classification LD50: 2100 mg/kg[rat]
Acute toxicity (inhalation):	Exempt classification (Gas) Category 4 (Vapour) LC50: 9158-14236 ppm[rat]
Skin corrosion/irritation:	Classification not possible (Dust/Mist) Category 2 Effect on animals : Based on results of "moderately irritating" in a rabbit skin irritation test (open Draize test) (Hazard Assessment Report (CERI, NITE) (2006)) and "slightly irritating" in a rabbit, rat and mouse skin irritation tests (EU-RAR No. 21 (2002)), the substance was classified into Category 2.

SAFETY DATA SHEET

SDS: A5421-0400_E003

Date Prepared: 2020/03/23

Date Revised: 2023/01/10

Product Name: **MA-50**

Serious eye damage/irritation:	<p>Category 2A</p> <p>Effect on person : not entered, Although obvious positive reactions are reported for exposed humans, there is no report of corrosive (Hazard Assessment Report (CERI, NITE) (2006), EU-RAR No. 21 (2002)).</p> <p>Effect on animals : In a rabbit eye irritation test, "severe chemosis, slight corneal opacity and conjunctival redness (conjunctival redness persisted to day 8 in one animal)" were observed (EU-RAR No. 21 (2002)).</p> <p>Based on the data, the substance was classified into Category 2A.</p>
Respiratory sensitization:	<p>Classification not possible</p> <p>Effect on person : No data available</p>
Skin sensitization:	<p>Classification not possible</p> <p>Effect on person : in human patch tests , positive results are reported (EU-RAR No. 21 (2002), NICNASPEC No. 7 (1998)).</p> <p>Effect on animals : In a guinea pig skin sensitizing test (Directive 84/449/EEC, B.6) (GLP), a negative result is reported (EU-RAR No. 21 (2002), original literature BASF (1993)).</p> <p>Based on the above reports, classification was not possible.</p>
Mutagenicity:	<p>No Classification</p> <p>Although there are positive and negative results in micronucleus test by oral gavage to mice (ATSDR (2007), Hazard Assessment Report (CERI, NITE) (2006), NICNAS No. 7 (1998)), the substance was classified as "Not classified" based on expert's decision for reliability of the test. There are reports of positive rat hepatic cell DNA damage test, DNA synthesis test and DNA repair test (Hazard Assessment Report (CERI, NITE) (2006), NICNAS No. 7 (1998), PATTY (5th, 2001)) and negative Ames test, mouse lymphoma test and chromosomal aberration test (Hazard Assessment Report (CERI, NITE) (2006)).</p>
Carcinogenicity:	<p>Category 1B</p> <p>ACGIH:A3,</p> <p>EPA:Likely to be carcinogenic to humans,</p> <p>IARC:2B,</p> <p>NTP:R,</p> <p>Japan Society for Occupational Health:2B</p>

SAFETY DATA SHEET

SDS: A5421-0400_E003

Date Prepared: 2020/03/23

Date Revised: 2023/01/10

Product Name: **MA-50**

- Reproductive toxicity: Classification not possible
 In developmental toxicity tests in rats by oral administration (Hazard Assessment Report (CERI, NITE) (2006)) or inhalation exposure (Initial Environmental Risk Assessment of Chemicals (Ministry of the Environment) vol. 2 (2003)) during the organogenesis period, no adverse effects on fetal development were seen while decreased fetal weight and delayed ossification were observed in some tests. However, classification was not possible due to lack of data for sexual function and fertility.
- Target organ effect/Single exposure: Category 1(central nerve system)
 Category 3(anesthetic action,respiratory tract irritation)
 Based on findings of dizziness, sleepiness and unconsciousness in humans following inhalation exposure (Initial Environmental Risk Assessment of Chemicals (Ministry of the Environment) vol. 2 (2003)), the substance was classified into Category 1 (central nervous system). Narcotic effects are reported in rats following inhalation at 155 mg/L (EU-RAR 21 (2002)) and rabbits following oral exposure at 6600 mg/kg (ATSDR (2007)). The substance was classified into Category 3 (narcotic effects). The substance is irritating to the nose and throat in humans (EU-RAR 21 (2002), ATSDR (2007)). In an inhalation test in rats, irritation of mucous membranes of the respiratory tract was observed (EU-RAR 21 (2002)). Based on these results, the substance was classified into Category 3 (respiratory tract irritation).
- Target organ effect/Multi exposure: Category 1(kidney,liver,central nerve system)
 Category 2(respiratory apparatus)
 In a case report of 5 workers who died following exposure to the substance, hemorrhage and necrosis in the kidney and necrosis in the liver are reported (Hazard Assessment Report (CERI, NITE) (2006)). There is a case report that a worker who had been exposed for one week in a closed, non ventilated room without respiratory equipment showed hypertonia, neurological symptoms, kidney failure, renal cortex necrosis, severe centrilobular necrosis in the liver and demyelination and partial loss of nerve fibre tissue in the brain (EU-RAR No. 21 (2002)). Based on the data, the substance was classified into Category 1 (kidney, liver, central nervous system). In a 2-year oral test in rats, degeneration of airway epithelium was observed at 16 mg/kg/day (corresponds to Category 2) (Initial Environmental Risk Assessment of Chemicals (Ministry of the Environment) vol. 2 (2003)). Based on this data, the substance was classified into Category 2 (respiratory system).

SAFETY DATA SHEET

SDS: A5421-0400_E003

Date Prepared: 2020/03/23

Date Revised: 2023/01/10

 Product Name: **MA-50**

Respiratory toxic:	Classification not possible Effect on person : No data available.
--------------------	--

12. Ecological information

Product

Ecotoxicity	
Acute toxicity:	Classification not possible
Chronic toxicity:	Classification not possible
Persistence and degradability :	No information.
Bioaccumulative potential :	No information.
Mobility in soil:	No information.
Hazardous to the ozone layer:	Classification not possible
Other impact :	No information.

Ingredient

Polyethyleneglycol monomethacrylate

Ecotoxicity	
Acute toxicity:	No data
Chronic toxicity:	No data

1,4-Dioxane

Ecotoxicity	
Acute toxicity:	No Classification
Fish:	96hrLC50:> 100 mg/L[Oryzias latipes]
Daphnia:	48hrEC50:> 1000 mg/L[Daphnia magna]
Algae:	72hrErC50:> 1000 mg/L[Pseudokirchneriella subcapitata]
Chronic toxicity:	No Classification
Fish:	No data
Daphnia:	No data
Algae:	No data
Persistence and degradability :	Not biodegradable
Bioaccumulative potential :	Low bioconcentration
Hazardous to the ozone layer:	Classification not possible

SAFETY DATA SHEET

SDS: A5421-0400_E003

Date Prepared: 2020/03/23

Date Revised: 2023/01/10

Product Name: **MA-50**

13. Disposal considerations

Disposal methods: When waste materials and waste water are to be treated, collect them into specified containers and entrust the disposal to a disposal contractor having an industrial waste disposal contractor permit.
Do not use the used containers for other purposes like filling other substances. Be sure to dispose of them after treating the content according to the above description. In case of recycling the container, return the container as it is after fitting a stopper without filling anything into it.

14. Transport information

International regulations	UN classification :	Not applicable
	UN number :	Not applicable
	Proper shipping name :	Not applicable
	Packing group :	Not applicable
Domestic restriction:		Transport the material in accordance with the regulations in your country or region.
Specific security precaution and condition of transportation:		Load the containers in such a way as not to wet with water, fall down, tumble, or being damaged. Cover the loaded cargo to prevent direct sunlight.
Emergency Response Guide (ERG) Numbers:	171P	

15. Regulatory information

Regulatory information with regard to this substance in your country or region should be examined by your own responsibility.

16. Other information

Reference Information obtained in NITE (National Institute of Technology and Evaluation) and other literature surveys.

SAFETY DATA SHEET

SDS: A5421-0400_E003

Date Prepared: 2020/03/23

Date Revised: 2023/01/10

Product Name: **MA-50**

Disclaimer

About the description: This SDS was created in accordance with JIS Z 7253 based on the materials and data available at the time of creation.

Detailed information such as composition and ingredients corresponding to overseas legal regulation registration confirmation etc. may not be described, so please contact our sales staff separately if necessary.

Precautions are for normal handling. In case of special handling, it is the responsibility of the user to take safety measures suitable for the intended use and usage.

We have paid close attention to the contents, but we do not guarantee the contents.

This product can only be used for industrial purposes. If you want to use it for other purposes, please contact us in advance.